



SAFETY DATA SHEET

GALLEX®

SECTION I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: GALLEX®

EPA REGISTRATION NUMBER: 40230-2

EPA SIGNAL WORD: WARNING

EPA LABEL DATE: 10 April 2010

CA REGISTRATION NUMBER: 51896-CA-050

DATE: 9 November 2017

SUPERSEDES DATE: 1 August 2013

MANUFACTURER: AgBioChem, Inc.

ADDRESS: 3750 N 1020 E
Provo, UT 84604

24/7 EMERGENCY PHONE: 1-800-633-8253 (Professional Emergency Response Services)

24/7 HEALTH EMERGENCIES: 800-858-7378 (National Pesticide Information Center)

SECTION II - HAZARDS IDENTIFICATION

Keep away from ignition sources. Keep out of reach of children.

The product may be harmful if it is inhaled or swallowed. Avoid contact with eyes.

POTENTIAL HEALTH EFFECTS

CODE OF HAZARD STATEMENTS

Physical hazards

H226, Flammable (Combustible) liquid and vapor

Health Hazards

H304, May be fatal if swallowed and enters airways.

H312, Harmful in contact with skin.

H315, Causes skin irritation.

H320, Causes eye irritation

H333, May be harmful if inhaled.

H336, May cause drowsiness or dizziness.

Environmental hazards

H402, Harmful to aquatic life.

CODE OF PRECAUTIONARY STATEMENTS

General

P101, Keep out of reach of children. P103, Read label before use.

Prevention

P210, Keep away from heat/sparks/open flames/hot surfaces. NO SMOKING.

P233, Keep container tightly closed.

P234, Keep only in original container.

P242, Use only non-sparking tools.

P261, Avoid breathing fume/gas/mist/vapor spray.

P262 Do not get in eyes, on skin or on clothing.

P264, Wash thoroughly after handling.

P270, Do not eat, drink or smoke when using this product.

P280, Wear protective gloves/protective clothing/eye protection/face protection.

Response

P312, Call a POISON CENTER or doctor/physician if you feel unwell.

P331, DO NOT induce vomiting.

P340, Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352, Wash with plenty of soap and water.

P362, Take off contaminated clothing and wash before reuse.

P381, Eliminate all ignition sources if safe to do so.

Storage

P403, Store in a well-ventilated area.

P412, Do not expose to temperatures exceeding 120.2°F (49°C).

ROUTES OF ENTRY: Eye contact, skin adsorption, ingestion and inhalation.

CARCINOGENICITY: Naphthalene is a suspected carcinogen and kerosene has residual naphthalene.



SAFETY DATA SHEET

GALLEX®

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS #.	EINECS #	%	REACH Reg.
Kerosene	8008-20-6	232-366-4	57.67	No
Water	7732-18-5	231-791-2	25.90	No
Prop. A	Prop.	Prop.	8.25	Yes
Prop. B	Prop.	Prop.	3.25	Yes
Diphenyl methane	101-81-5	202-979-6	2.00	No
Dimethyl naphthalene	571-58-4	209-335-9	2.00	No
Meta-cresol	108-39-4	203-577-9	0.466	Yes
2,4-xylenol	105-67-9	203-321-6	0.463	No

Note! Prop. A and Prop. B are proprietary emulsifiers

SECTION IV - FIRST AID MEASURES

INHALATION: Move to fresh air free from risk of further exposure. If person not breathing call 9-1-1, then apply rescue breathing. Seek medical attention as soon as possible.

EYE CONTACT: Flush with clean, lukewarm water raising upper and lower eyelids at low pressure for 15 minutes. Remove contact lenses, if present, after the first five minutes and continue to rinse the eyes. Seek medical attention if no relief.

SKIN CONTACT: Rinse area with clean water for 15-20 minutes. Call poison control center or doctor for treatment advice.

INGESTION: Call a poison control center or doctor immediately for treatment advice. DO NOT INDUCE VOMITING. Lower the head when person is vomiting to minimize entry into throat and lungs.

SECTION V - FIREFIGHTING MEASURES

FLASHPOINT AND METHOD: >120.2 °F (>49 °C) **FLAMMABLE LIMITS:** LEL 0.7% UEL 5.0%

EXTINGUISHING METHOD: Use dry chemicals, carbon dioxide and foam.

FIRE OR EXPLOSION HAZARDS: This material under complete combustion will form oxides of carbon and nitrogen.

SPECIAL FIREFIGHTING PROCEDURES: Keep upwind of fire. Full emergency equipment with self-contained breathing apparatus and full protective clothing to be worn by firefighters.

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Wear PPE. Isolate the area and prevent material from getting into waterways. Eliminate ignition sources.

Sweep up and place the collected material in a closed container. Take care as material may form vapor in the containers and be flammable/combustible.

Finish cleaning the area with small amounts of soap and water on the spill area.

SECTION VII - HANDLING AND STORAGE

STORAGE TEMPERATURE: Keep containers tightly closed. Store in well-ventilated area. Avoid high temperatures.

SPECIAL SENSITIVITY: Avoid contact with eyes, wear PPE in section 8.

HANDLING AND STORAGE PRECAUTIONS: Use normal safety procedures and good personal hygiene. Wash thoroughly after use and before eating, drinking, chewing gum or using tobacco.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION: Use safety glasses or goggles, keep out of eyes.

SKIN PROTECTION: Wear long sleeve shirts, long pants and shoes and socks.

RESPIRATORY PROTECTION: Not normally required, however wear respirator if the airborne conditions mandate.

OCCUPATIONAL EXPOSURE LIMITS: ACGIH 200 mg/m² for kerosene. OSHA is 50m/m³ for naphthalene.

ENGINEERING CONTROLS: Provide adequate ventilation when product is used.



SAFETY DATA SHEET

GALLEX®

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Off white liquid. **ODOR:** Petroleum distillate odor
SOLUBILITY IN WATER: Not soluble **FLASH POINT:** > 120.2°F (> 49C)
VOLATILE ORGANIC CONTENT (VOC): >90% **SOLUBILITY (WATER):** Not soluble.
SPECIFIC GRAVITY (water=1): >0.78 @ 68°F (20°C) **BOILING POINT:** 300-500 °F (149-304°C)

SECTION X - REACTIVITY

STABILITY: Product is flammable/combustible liquid, keep away from ignition sources.
INCOMPATIBLES: Strong oxidizers.
DECOMPOSITION PRODUCTS: Product will burn and the products of complete combustion are oxides of carbon and nitrogen.

SECTION XI – TOXICOLOGICAL INFORMATION

Acute oral LD_{50(rat)}=4,640 mg/kg
 Harmful if swallowed, causes nausea, vomiting and diarrhea. This product may impact the central nervous system similar to alcohol intoxication. The significant route of exposure is the eyes.

SECTION XII – ECOLOGICAL INFORMATION

The product may be harmful to aquatic organisms.

SECTION XIII - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Wear required PPE to dispose of the material according to label instructions for pesticide and container disposal. Dispose according to the regulations of local, state and Federal regulatory agencies.

SECTION XIV - TRANSPORTATION INFORMATION

US DOT (ground) PROPER SHIPPING DESCRIPTION: (NON-BULK): Not regulated for ground or rail in containers 119 gallons or less by exception in 49 CFR 173.150(f)
(Bulk containers only): NA1993, Combustible liquid, N.O.S., (Kerosene, diphenyl methane), III
IATA (air) PROPER SHIPPING DESCRIPTION CARGO AIRCRAFT Only: UN1993, Flammable liquid, N.O.S., (Kerosene, diphenyl methane), 3, III
 Use packing instruction 310, maximum net capacity is 220 L (58.2 gals)
IMO (water) PROPER SHIPPING DESCRIPTION: UN1993, Flammable liquid, N.O.S., (Kerosene, diphenyl methane), 3, III
 Use packing instruction P001 and LP01.

SECTION XV - REGULATORY INFORMATION

OSHA STATUS: Flammable/combustible. **TSCA STATUS:** Kerosene and naphthalene.
CERCLA REPORTABLE QUANTITY: Meta-cresol and Naphthalene 100 lbs. (45.5 kgs.).
CALIFORNIA PROPOSITION 65: Naphthalene is listed as cancer causing chemical.
RCRA STATUS: None.

SARA 311/312 HAZARD NOTIFICATION/REPORTING

IMMEDIATE Y FIRE Y SUDDEN RELEASE OF PRESSURE N
 DELAYED Y REACTIVE N

SARA TITLE III: None.

SECTION 302 EXTREMELY HAZARDOUS: None.

SECTION 313 TOXIC CHEMICALS: Meta-cresol.

RIGHT TO KNOW: Kerosene is listed in MA, NJ and PA. Naphthalene is listed in CA, MA, MN, NJ and PA.

SECTION XVI – OTHER INFORMATION/APPROVALS

National Fire Protection Association (NFPA)
 Hazardous Materials Identification System (HMIS)

NFPA		HMIS	
	0 Least		
2 Health	1 Slight	2	Health
2 Flammability	2 Moderate	2	Flammability
0 Instability	3 High	0	Reactivity
	4 Severe	F	PPE



SAFETY DATA SHEET

GALLEX®

REASON FOR ISSUE: Removal of GHS references. In Section III. Correction of domestic proper shipping description under 49 CFR Part 173.150(s) in Section XIV. New format numbering of the Sections after Section X to meet the OSHA requirements.



WHMIS:

APPROVAL DATE: 11 November 2017

PREPARED BY: Dennis Belau

REVIEWED BY: John Bahme, PhD.

ABBREVIATIONS:

CAS #	Chemical Abstract Service Number	EINECS	European Inventory of existing Commercial Chemical Sales
°C	Celsius temperature scale	°F	Fahrenheit temperature scale
Prop.	Proprietary	PE	Personal Protective Equipment
TLV	Threshold Limit Value	TWA	Time Weighted Average
STEL	Short-term Exposure Limit	PEL	Permissible Exposure Limit
OSHA	Occupational Safety & Health	NIOSH	National Institute of Safety & Health
NFPA	National Fire Protection Agency	WHMIS	Workplace Hazardous Materials Information System
NTP	National Toxicology Program	IARC	Int. Agency for Research on Cancer
RCRA	Resource Conservation Recovery ACT	TSCA	Toxic Substance Control Act
LC ₅₀	Lethal Inhalation Concentration	EC ₅₀	Effective Dose
CAS	Chemical Abstract Service Number	LD ₅₀	Lethal Dose
UEL	Upper explosive limit	LEL	Lower explosive limit
ND	Not determined	NDA	No Data Available
NA	Not Applicable	NE	None established
≥	Greater Than or Equal To	≤	Less Than or Equal To
Prop.	Proprietary	CNS	Central Nervous System
CI	China	DSL	Canada
ECL	Korean Existing Chemicals List	EEC	European Economic Commission
ENCS	Japanese Existing and New Chemical List	MAC	Netherlands
EU	European Union	MITI	Japan
MAK	Germany	SWISS	Giftliste 1
PICCS	Philippines	USA	United States
UK	United Kingdom		
VOC	Volatile organic content		
ACGIH	American Conference of Government Industrial Hygienists		
SARA	Superfund Amendments and Reauthorization Act		
AICS	Australian Inventory of Chemical Substances		
IARC	International Agency for Research on Cancer		
	Taiwan List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances Control Act of 1086		

Disclaimer

This information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particulars purposes. In no event shall AgBioChem, Inc be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, how so ever arising, even if company has been advised of the possibility of such damages