

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place and in such a manner to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep container closed when not in use.

**Pesticide Disposal:** To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

**Container Disposal:** Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a tank mix. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

## WARRANTY

NOTICE: To the extent consistent with applicable law, neither Manufacturer nor Seller makes any warranty, express or implied concerning the use, effects of, or results from use of this product, other than as indicated on this label. To the extent consistent with applicable law, buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions contained on label.

# GALLEX®

## CROWN GALL ERADICANT PAINT

A ready-to-use flowable emulsion for control of crown gall, burr and olive knot bacterial diseases on certain fruit and nut trees, vines, ornamentals. Apply to non-edible organs only.

### ACTIVE INGREDIENTS

2,4-xylenol ..... 0.463%  
meta-cresol ..... 0.466%

OTHER INGREDIENTS ..... 99.071%  
100.000%

*Contains petroleum distillates*

## KEEP OUT OF REACH OF CHILDREN WARNING – AVISO

### FIRST AID

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted con detalle. (If you do not understand the label, find someone to explain it to you in detail.)

<b>If Swallowed</b>	<ul style="list-style-type: none"><li>• Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.</li></ul>
<b>If in Eyes</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If on Skin or Clothing</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If Inhaled</b>	Move person to fresh air

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For 24/7 emergency information on Gallex, call Professional Emergency Response Services at 1-800-633-8253 (U.S.) or 1-801-629-0667 (international). For additional information, call the National Pesticide Information Center at 1-800-858-7378 between 8:00 AM and 12:00 PM Pacific Standard Time, Mon.-Fri. or the Poison Control Center at 1-800-222-1222. **Note to Physician:** Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

EPA Reg. No. 40230-2  
EPA Est. No. 51896-CA-050

Net Contents: 1/2 Gallon (1.9 Liters)  
Lot No.  
U.S. PATENT NO. 3,288,670

Manufactured in U.S.A. by  
AgBioChem, Inc.  
3750 N 1020 E  
Provo, UT 84604  
(530) 586-1561



## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### WARNING

Harmful if swallowed. Causes skin irritation. Causes substantial but temporary eye injury. Do not get on skin or on clothing. Wear long sleeved shirt and pants, shoes plus socks, chemical resistant gloves such as rubber and protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long sleeved shirts and pants
- Shoes plus socks
- Chemical-resistant gloves such as rubber
- Protective eyewear

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

### USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- User should remove clothing / PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### ENVIRONMENTAL HAZARDS

Gallex will injure tender foliage, stems and root tissues of most plants. Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment, washwater or rinsate.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide application.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soils, or water), is:

- Long-sleeved shirt and long pants
- Socks and shoes
- Chemical-resistant gloves such as rubber
- Protective eyewear

#### For: Disease

Crown gall (*Agrobacterium tumefaciens*)

Olive Knot (*Pseudomonas savastanoi*)

Burr Knot (aerial tumor)\*

\*Not for use in California

#### Plants (in field or greenhouse)

Almond, Apple, Apricot, Blueberry, Cherry, Filbert, Grape, Nectarine, Peach, Pear, Pecan, Plum, Poplar, Prune, Walnut & Ornamental (e.g. Roses, Euonymus, Willow)

Olive, Oleander

Apple

**General:** GALLEX selectively penetrates and kills gall cells, but does not harm healthy bark tissue.

**Pretreatment Preparation:** Make first treatment when rain is unlikely for several days. Remove soil from around underground galls by careful digging or by hosing away with compressed water or air. Avoid wounding of plant. Cut off major portion of all galls larger than a baseball and allow to dry 1 or more days before treatment.

**Application: Shake well before using. DO NOT DILUTE**

Paint onto gall and cut surfaces plus 1/2 inch of surrounding healthy bark. Achieve thorough coverage by working GALLEX into cracks and crevices with brush. Allow treated galls below ground level to dry 1 or more days before replacing soil. Examine after 4 to 6 months and re-treat if live galls are found.

**Time of Application:** Can be used anytime when rain is unlikely for several days. Generally one application will give control. Re-treatment may be necessary.

**Compatibility:** Do not mix or combine GALLEX with other pesticides.

**Precaution:** Complete girdling of the trunk by galls significantly affects the water conducting capacity of the tree. To prevent sudden loss of water movement, do not treat more than half of the galled trunk at any one time. Treat remaining diseased tissue 4 to 6 months later when examination of initial treatment is made. GALLEX may injure tender plant organs.

Do not use fruit, nuts for food or feed purposes.